

ITEM # 193-2, STRATOFLEX LOW PRESSURE HOSE - 193-2

Stratoflex Low Pressure Hoes (FT) 10ft Sections - Inside Diameter: 1/8", Inner Tube: Seamless Buna-N Compound Reinforced by one braid of high tensile fiber cord, Outer Cover: Synthetic Rubber. (Sold in 10 ft Sections)





Specifications | Assembly | Construction | Applications | Identification | Note

_					
Specifications –					
	Inventory	0			
	Estimated Ship Date	Ships within 10-14 days			
	Inventory Note	Need additional stock? Call (855) 995-0804 or <u>email</u>			
	Inside Diameter	0.125 in			
	Outside Diameter	0.350 in			
	Weight	.005 lb			
	Operating Temperature	-65 to +165 °F			
	Nominal Pressure	300 psi			
	NSN	6625-00-599-8401			
	NIIN	00-599-8401			
	Part # Unpunctuated	1932			

Minimum Order Note

Minimum order is 1. Must order in increments of 1.

Assembly

Minimum Bend Radius	2.00 in
Thread Size	0.3125-24
Assembly Part Number	193000-3D-L
Fittings 2 Per Assembly	311-2D

Construction

193 Hose	(MIL-H-5593)	
----------	--------------	--

Construction	Inner tube is made of a seamless Buna-N
	reinforced by a braid of high tensile fiber cord.
	Outer cover is a synthetic rubber compound.

Applications

Applications

Low pressure air or vacuum instrument systems, automatic pilots & lines to pressure gauges used with these systems {specified in MS33620}. Vacuum service 20"Hg sizes -2 thru -6; 10"Hg sizes -8 and -10.

Identification

Identification

Black cover, a yellow symbol "LP-MIL-H-5593size", date of manufacture (quarter year/year) and manufacturer's code. "Stratoflex 193-size" is marked on other side of hose. Yellow markings are repeated every 12 inches _

Note

Note

Our inventory is extensive. The majority of the items listed in our catalog are stocked and

available for immediate shipment.

California Residents

Prop 65 Warning: This product may contain chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm.